



Shadowspec  
**UNITY**<sup>TM</sup>  
*Multi-Canopy Cantilever Umbrella*



## The Evolution of Shade



Fabric  
Warranty\*  
BEST-IN-CLASS



Frame  
Warranty\*  
BEST-IN-CLASS



Trusted for  
over 25 years



Hand-built in  
New Zealand



Marine  
Grade

# SHADOWSPEC UNITY™ Multi-Canopy Cantilever Umbrella

## Patented & Trademarked Technology



### SHADOWLIFT™

Gas-assisted deployment for an easy lift.



### SHADOWGLIDE™

Engineered to open or close in 5 seconds.



### SHADOWHUB™

LED light technology built-in and app controlled.




### SHADOWLOCK™

Integrated security and wind-protection.


## Canopy




### Stock Colours




Oyster



Alpine Stone




Charcoal Tweed




Black


### Special-Order Colours\*\*



Natural




Storm




Charcoal



Slate



Taupe



Fern




Linen



Sunflower Yellow



Captain Navy



Terracotta

\*\*Special-Order Colours are non-stock and will incur an additional lead time and surcharge. Full Sunbrella Marine Range or other identical fabrics are available as a custom colour option.




RECASENS  
BCN 1886

### Solution Dyed Acrylic

Some fabric dyeing methods only coat the outer surface of the fibre – think of a radish.

With the Solution Dyed method, each individual thread fibre is dyed – think of a beetroot. The fabric is also easy to clean and covered by a 10 year warranty.

### Frame Colour



Space Grey



Heron Black\*\*\*

\*\*\*Available in 3.0m Square or 4.0m Octagon sizes only.



Marine Grade



Solution-dyed, High Colour Fastness



UV and Fade Resistant



UPF 80 UV Protection



Eco-friendly Production



Breathable Weave



Mould and Mildew Resistant



Oil and Stain Repellent



Easy Clean



Water Resistant



Chlorine Resistant




Tear Resistant



## Size & Configuration


### OCTAGON UNO

3.5m | 11' or 4.0m | 13'




### OCTAGON DUO

7.0m | 22' or 8.0m | 26'




### SQUARE UNO

2.5m | 8' or 3.0m | 10'




### SQUARE DUO

5.0m | 16' or 6.0m | 20'




### SQUARE DUO

5.0m | 16' or 6.0m | 20'




### SQUARE TRIO

5.0m | 16' or 6.0m | 20'



### SQUARE QUATTRO

5.0m | 16' or 6.0m | 20'



*All sizings and conversions are approximate and subject to change without notice. Refer to specsheets for exact, up-to-date measurements.*

## Features




### EASY OPEN & CLOSE

Umbrella deployment system with no winding or cables.



### MARINE GRADE

No-rust, 316 Stainless Steel Spigot.



### FOLLOW THE SUN

Enjoy the 360° rotation for all-day-shade.



**10 YEAR**  
Fabric Warranty\*



**6 YEAR**  
Frame Warranty\*

### BEST-IN-CLASS WARRANTY

## Accessories

*N.b. Accessories are optional. Pricing additional.*



### RAIN GUTTER

Connects adjoining canopies to enhance rain protection.



### LED LIGHT CONTROL

Power your light with the Smart Battery or Hardwire Kit.



### PROTECTION COVER

Recommended protection for your umbrella when not in use.



### CASTOR WHEELS FOR FREE-STANDING BASE

## Mounting Options

### SURFACE PLATE

For deck, patio and concrete mounting. (316 stainless steel)



### IN-GROUND ANCHOR

For mounting with a concrete footing.




### WALL MOUNT BRACKET

For when ground mounting isn't possible. (316 stainless steel)



### FREE-STANDING BASE + ALUMINIUM BASE COVER


For complete customised manoeuvrability.



*Note: Fastenings are not supplied for the Surface Plate or Wall Mount Bracket.*

*Available in Space Grey or Heron Black. Concrete pavers (not included) are required for ballast. Optional Castor Wheels available.*

# Dimensions



## Diagram Legend

		2.5m	8'	3.0m	10'	3.5m	11'	4.0m	13'
<b>A</b>	Ground to central frame hub when closed†	860mm	2'10"	620mm	2'1"	1079mm	3'7"	866mm	2'10"
<b>B</b>	Total height to top of canopy†	2900mm	9'6"	2824mm	9'3"	2975mm	9'9"	2899mm	9'6"
<b>C</b>	Height of umbrella to top of mast cap†	2908mm	9'6"	2908mm	9'6"	2908mm	9'7"	2908mm	9'6"
<b>D</b>	Ground to central frame hub when open†	2130mm	7'0"	2054mm	6'9"	2205mm	7'3"	2128mm	7'0"
<b>E</b>	Ground to lower outer edge of canopy†	2222mm	7'3"	2219mm	7'3"	2237mm	7'4"	2172mm	7'2"
<b>F</b>	Centre of Spigot to outside edge of canopy	2646mm	8'8"	2973mm	9'10"	3447mm	11'4"	3923mm	12'10"
<b>G</b>	Diagonal from centre of mast to corner	3742mm	12'3"	4205mm	13'10"	N/A	N/A	N/A	N/A
<b>H</b>	Duo/Quattro umbrella width edge to edge	5292mm	17'4"	5946mm	19'6"	6894mm	22'7"	7846mm	25'9"
<b>I</b>	Gutter space between canopies	160mm	6"	160mm	6"	N/A	N/A	N/A	N/A

†Free-standing Base installations will add 165mm | 6" to the height and surface plates will add 12mm | 1/2" to the height. Adding the optional Castor Wheels to the Free-standing Base will increase height a further 45-80mm | 2-3" to the height. All sizings and conversions are approximate and subject to change without notice. Refer to specsheets for exact, up-to-date measurements.



SHADE  
CONSTRUCTION  
OUTDOOR

www.instaco.com.au | 07 3277 7749 | sales@instaco.com.au  
891 Beaudesert Road, Archerfield QLD 4108

\*Warranty conditions apply: 3 year warranty for commercial applications. | P01/23



shadow spec  
umbrellas with distinction