
EXTERNAL BLINDS








EXTERNAL BLINDS

FOR RELAXED INDOOR / OUTDOOR LIVING

As Australia's premier independently owned blind and awning manufacturer, Helioscreen knows what is required to provide the best possible light solution for our uniquely harsh environment. External Blinds repel up to 90% of the sun's heat and also reflect and absorb harmful UV radiation.

External Blinds are designed to control the entry of natural light. They increase the thermal comfort of the internal space with impressive heat gain reductions, and increase visual comfort by reducing glare while maintaining views from the inside.

By installing a Helioscreen Sun Control System, the internal conditions of any room are improved. The demand on air conditioning systems are quickly reduced – saving energy and reducing greenhouse gas emissions.



FABRIC

Helioscreen's Outdoor Living fabric ranges Sergé, Helio86 and Helio92 come in a wide range of classic and contemporary colours to suit any façade. These fabrics are designed to take the toughest of treatments and boast the strongest tear strength on the market. They are anti-static for easy cleaning, anti fungal and fire retardant, providing years of safe low maintenance use.

BENEFITS

- Visibility toward the outside
- Thermal and visual comfort
- Tear resisitance
- Dimensional stability
- Long life
- Low maintenance
- Fire retardant
- Anti-fungal





SYSTEMS

European designed and engineered, Helioscreen's external headbox blind systems are built to last. Tough non-corrosive componentry will ensure years of trouble free operation.

Motorising your external blinds enables maximum ease of use and a clean uncluttered aesthetic. Systems can also be linked together on one motor for maximum efficiency.

Choose from the discrete square headbox of the HM 65 95 and HM 80 110 systems, or the open systems (no headbox) HM 80 00 STAINLESS, and HM 130 00 which are able to be installed under eaves and can span widths of up to 5.4 metres in one blind.

Heavy-duty yet attractive Helioscreen weighted base bars increase stability in the elements and ensure optimal presentation of the fabric at all times. Choose from sleek aluminium side channels, zip guide channels, marine grade stainless-steel cables or pivot arm model to suit your application.



CONTROL

At Helioscreen we utilise the latest technology automation, including fully integrated façade management systems that react automatically to the elements. Blinds can be operated simply with a wall switch, a touch panel, or using a remote control.

HEADBOX TYPES



95 x 95mm Max width 3.2m – Up to 9sqm (Also available in Pivot Arm Model)



110 x 110mm Max width 4.4m - Up to 11sqm (Also available in Pivot Arm Model)



ZIP 110 x 110mm

Max width 4.4m – Up to 12sqm
(Note: height must not exceed 2.8m)

Zip basebar 22x52mm Adjustable side guides 26x52mm* with face fix angle 31x52mm* (*52mm is variable for installation)

BASEBAR TYPES




Helio 18 x 35mm




Teardrop 22 x 37mm

OPEN SYSTEMS




HM 80 Stainless Max width 3.8m – Up to 11sqm (Also available in Pivot Arm Model)




HM 130 00 System Max width 5.4m - Up to 13sqm

SIDE GUIDING



Side Channel



Stainless Cables





HELIOSCREEN'S OUTDOOR RANGE

2 90% Reduced Heat Radiation Windsensor Retractor

♠ 5 Year Warranty

Powered by Somfy 5-year Motor Warranty

External Screens, Awnings, External Venetians, and Retractable Roof Systems

Helioscreen Australia Pty Ltd - Dealers Australia Wide

