



SHADOWSPEC UNITY™

THE EVOLUTION OF SHADE



BEST-IN-CLASS WARRANTY



Fabric
Warranty



Frame
Warranty

*Conditions apply. 3 year warranty for commercial applications.



Trusted for
over 25 years



Hand built in
New Zealand



Marine
Grade

SHADOWSPEC UNITY™

THE EVOLUTION OF SHADE

PATENT-PENDING TECHNOLOGY

SHADOWLIFT™



Gas-assisted deployment for an easy lift.

SHADOWGLIDE™



Engineered to open or close in 5 seconds.

SHADOWHUB™



LED light technology built-in and App controlled. Powered with optional smart battery.


SHADOWLOCK™



Integrated security and wind-protection.



Featuring Marine-Grade 316 Stainless Steel Spigot.



Rotates 360° (Ground Mounted).



Canopy

Features

- 100% Marine-grade solution-dyed acrylic fabric
- All fabrics can be cleaned, washed and are replaceable
- UV & fade resistant
- 10 year Sunbrella™ and Recasens warranties
- Mould and mildew resistant
- Weight: 314 g/m²
- Sun protection - Skin Cancer Foundation's seal of approval

Full Sunbrella range also available as a custom colour option.*Non-stock & custom colours will incur an additional lead time and surcharge.

RECASENS
BCN 1886

sunbrella®


Stock Colours



Oyster



Alpine Stone



Charcoal Tweed



Black

Non-Stock Colours*




Taupe




Captain Navy



Charcoal



Rust




Spa




Slate

Size & Configuration


Square Duo




Square Trio



Square Quattro



Octagon Duo



Mounting Options

Surface Plate

For deck, patio and concrete mounting.
(316 Stainless Steel)



In-Ground Anchor

For mounting with a concrete footing.




Wall Fixings

For when ground mounting isn't possible.
(316 Stainless Steel)



Free-Standing Base + Aluminium Base Cover*

For complete customised manoeuvrability.



*Concrete Pavers are required for ballast (not supplied). Castor Wheels optional.

Umbrella Dimensions





Diagram Legend		2.5m	3.0m	3.5m	4.0m
A	Ground to central frame hub when closed*	872mm	632mm	1091mm	879mm
B	Height of umbrella to top of mast cap*	2920mm	2920mm	2920mm	2920mm
C	Total height to top of canopy*	2913mm	2837mm	2988mm	2912mm
D	Ground to central frame hub when open*	2143mm	2066mm	2218mm	2141mm
E	Ground to lower outer edge of canopy*	2235mm	2233mm	2245mm	2185mm
F	Centre of mast to outside edge of canopy	2640mm	2967mm	3438mm	3910mm
G	Diagonal from centre of mast to corner	3734mm	4197mm	N/A	N/A

*Free-Standing Base installations will add 165mm to the height and surface plates will add 12mm to the height. Adding Free-Standing Base wheels also will add a further 45-80mm. All sizings are approximate only and subject to change without notice.



SHADE
CONSTRUCTION
OUTDOOR

Instaco Pty Ltd as trustee for Instaco Group
ABN 21876208774 ACN 142762141
QBCC Licence no. 1203267

P 07 3277 7749
E sales@instaco.com.au
www.instaco.com.au

Office / Showroom
891 Beaudesert Road
Archerfield
QLD 4108



shadowspec
umbrellas with distinction