



SHADOWSPEC SERENITY™

PRECISION ENGINEERED AMBIENCE



BEST-IN-CLASS WARRANTY



Fabric
Warranty



Frame
Warranty

*Conditions apply. 3 year warranty for commercial applications.



Trusted for
over 25 years



Hand built in
New Zealand



Marine
Grade

SHADOWSPEC SERENITY™

PRECISION ENGINEERED AMBIENCE

PATENT-PENDING TECHNOLOGY

SHADOWLIFT™



Gas-assisted deployment for an easy lift.

SHADOWGLIDE™



Engineered to open or close in 5 seconds.

SHADOWHUB™



LED light technology built-in and App controlled.
Powered with optional smart battery.


SHADOWLOCK™



Integrated security and wind-protection.



Featuring Marine-Grade 316 Stainless Steel Spigot.



Rotates 360° (Ground Mounted).



Canopy

Features

- 100% Marine-grade solution-dyed acrylic fabric
- All fabrics can be cleaned, washed and are replaceable
- UV & fade resistant
- 10 year Sunbrella™ and Recasens warranties
- Mould and mildew resistant
- Weight: 314 g/m2
- Sun protection - Skin Cancer Foundation's seal of approval

Full Sunbrella range also available as a custom colour option.*Non-stock & custom colours will incur an additional lead time and surcharge.

RECASENS
BCN 1886

 sunbrella®


Stock Colours



Oyster



Alpine Stone



Charcoal Tweed



Black

Non-Stock Colours*




Taupe



Captain Navy



Charcoal



Rust




Spa




Slate


Size & Configuration




2.5m



3.0m



3.5m



4.0m

Mounting Options

Surface Plate

For deck, patio and concrete mounting.
(316 Stainless Steel)



In-Ground Anchor

For mounting with a concrete footing.



Wall Fixings

For when ground mounting isn't possible.
(316 Stainless Steel)



Free-Standing Base + Aluminium Base Cover*

For complete customised manoeuvrability.



*Concrete Pavers are required for ballast (not supplied). Castor Wheels optional.

Umbrella Dimensions




Diagram Legend

		2.5m	3.0m	3.5m	4.0m
A	Ground to central frame hub when closed*	860mm	620mm	1079mm	866mm
B	Total height to top of canopy*	2900mm	2824mm	2975mm	2899mm
C	Height of umbrella to top of mast cap*	2908mm	2908mm	2908mm	2908mm
D	Ground to central frame hub when open*	2130mm	2054mm	2205mm	2128mm
E	Ground to lower outer edge of canopy*	2222mm	2219mm	2237mm	2172mm
F	Centre of Spigot to outside edge of canopy	2646mm	2973mm	3447mm	3923mm
G	Diagonal from centre of mast to corner	3742mm	4205mm	N/A	N/A

*Free-Standing Base installations will add 165mm to the height and surface plates will add 12mm to the height. Adding Free-Standing Base wheels also will add a further 45-80mm. All sizings are approximate only and subject to change without notice.



SHADE
CONSTRUCTION
OUTDOOR

Instaco Pty Ltd as trustee for Instaco Group
ABN 21876208774 ACN 142762141
QBCC Licence no. 1203267

P 07 3277 7749
E sales@instaco.com.au
www.instaco.com.au

Office / Showroom
891 Beaudesert Road
Archerfield
QLD 4108

