




HALO

Outdoor awnings
pergolas, curtain & blinds



The Halo retractable system provides a stylish architectural covering which allows large outdoor areas to be used under all weather conditions.

The system is custom manufactured using high grade 6063 extruded aluminium profiles and is finished with thermoset powder coating which provides superior overall performance for exterior applications. All fixings are high grade stainless steel to ensure extended life.




Single Module

Width. **2m > 5m**

Single module with
single motor & 2 rafters

Projection. **Max.10m**




Double Module

Width. **5m > 9m**

Double modules with
single motor & 3 rafters

Projection. **Max.10m**




Triple Module

Width. **9m > 13m**


Triple modules with
single motor & 4 rafters



Projection. **Max.10m**






► PROFILE DETAILS







Detail A




Detail B




Detail C




Detail D





A. Width






A. Width





B. Projection & Height



C. Angle

Unit : P - Meter Fall, Hood - mm

Projection	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0
Fall (A)	849	1038	947	1106	1283	1478	1012	1120	1235	1358	1488	1626	1772	1926	2087
Radian	R10,058			R15,634			R35,193								

If lesser pitch than above table is required, please contact our staff for more details.



T. 1300 552 516

H. www.oztech.com

E. info@oztech.com
